

Creative Health Tech Pvt Ltd.



PRODUCT CATALOG

- Trunkey Hospital Projects
- Hospital Design Consultancy
- Hospital Interior & Renovations
- AMC & CMC of Modular OT
- ICU, NICU, IVF, Clean Isolation Rooms
- Medical Gas Pipeline System
- Modular Operation Theatre
- Customised Hospital Product



For QUALITY PEOPLE

An ISO 9001:2015 Company

About Us

Creative Healthtech Pvt Ltd is a distinguished team of engineers with extensive expertise in the medical engineering field. We are committed to delivering products that are highly precise and meticulously engineered. Our pre-engineered modular operation theaters not only address critical issues but also promote swift construction, offer a high-quality finish that prevents contamination, ensure long-term durability, and provide a robust, flexible design for future expansions and easy maintenance.

We specialize in hospital design and execution, utilizing the latest international and NABH standards. Our unparalleled excellence in every aspect of our operations has made us a prominent name in the medical field since 2008. We offer comprehensive hospital solutions under one roof, with a factory fully equipped with various CNC automated and manual machines to ensure the highest quality products.

Creative Healthtech holds ISO 9001:2015 certification, and our products meet CE compliance standards, along with additional certifications including ISO 14001, ISO 18001, GMP, and ISO 13485.



INDUSTRY & MEDICAL EXPERTISE



RESEARCH & DEVELOPMENT



EXPERIENCED WORKFORCE



IN-HOUSE MANUFACTURING CAPABILITIES & EXCELLENCE



INNOVATION & TECHNOLOGY




QUALITY ASSURANCE AND CONTROL



CUSTOMER SATISFACTION

MODULAR OPERATION THEATRE PANEL

GYPSUM/BIASON BOARD BACKED PANELS *



STAINLESS STEEL SS304 PANELS BACKED BY GYPSUM

1.5mm/1.2mm Thick Stainless Steel Sheet Panels Backed By 9mm/12mm Thick Gypsum/Biason Board. Panels are custom-engineered to meet specific customer needs.



GALVANIZED STEEL PANELS BACKED BY GYPSUM

1.5mm/1.2mm Thick Galvanized Steel Sheet Backed By 9mm/12mm Thick Gypsum/Biason Board. Panels are custom-engineered to meet specific customer needs.

PUF INSULATED PANELS *



PUF IN-FILLED STAINLESS STEEL PANELS:

High Density PUF IN-FILLED Between two sheets of Stainless Steel Sheet. Panels are custom-engineered to meet specific customer needs.



PUF IN-FILLED GI/PPGI PANELS


High Density PUF IN-filled Between two sheets of GI/PPGI Sheet. Panels are custom-engineered to meet specific customer needs.



PUF IN-FILLED HIGH PRESSURE LAMINATE PANELS

High Density PUF IN-Filled between two sheets of High Pressure Laminated with thickness 3mm/4mm. Panels are custom-engineered to meet specific customer needs.

SOLID COMPACT HIGH PRESSURE LAMINATE PANELS



SOLID HIGH PRESSURE LAMINATE PANEL

10mm/12mm Thick Solid High Pressure Mounted with Steel Structure supported by Brick Walls.

* For detailed specifications, please contact us at info@creativemodularot.co.in.



MODULAR OPERATION THEATRE PANEL

TRUE MODULAR PUF INSULATED PANELS



PUF INSULATED ALUMINIUM EXTRUDED TRUE MODULAR
PPGI/SS/HPL/GLASS PANEL

PUF In-Filled with Aluminium Extruded Profile. It is very Easy to Assemble, Easy to Re-Assemble, Truly Modular with Aluminium Extruded Jointing Section, Aluminium Extruded Ceiling Jointing Section, Heavy Duty Aluminium Coving with Internal & External Corners. Panels are custom-engineered to meet specific customer needs.

SMS - ALUMINIUM PROFILE PANELS & GLASS PANELS



SOLID MINERAL SURFACE (SMS)

Thickness From 4mm To 18mm Mounted on Aluminum Section Profiles.




GLASS PANEL WITH GRAPHIC

Glass Panels With Graphic Design Having 8mm, 10mm, 12mm Thick Toughened Glass With PUF Insulated.


ANTISTATIC VINYL FLOORINGS



TARKETT



JEOFLOL



ARMSTRONG

MODULAR OPERATION THEATRE



MODULAR OT WITH ANTIBACTERIAL PAINT COATING (EGP/GI/PPGI MODULAR OT)

Filling of all Joints & Cavities with Metal Epoxy Filler and Sanded Flush to provide a seamless finish including one Primer and three coats of Imported Antibacterial & Antifungal Paint equivalent to a minimum dry Film thickness of 300 Microns. Modular Room will be fully joint less, seamless & washable with no deep corners. Colour as per customer's Requirement.



MODULAR OT WITH GLASS PANELS

Glass Modular OT: Modular OT In Toughened Glass With Graphic Designs and seamless washable, Hygienic. It will be fully in Glass or partial in Glass. The Panels will be IN-Filled with high density PUF between two sheets. One side of Glass and other side PPGI/ Stainless Steel/ HPL. Graphic design can be customized as per customer requirements.



MODULAR OT WITH COMPACT HPL PANELS

HPL Modular OT: High Pressure Laminate Panels having Antimicrobial Properties. Solid High Pressure Laminate in thickness of 12mm or PUF IN-Filled between two sheet of 4mm HPL sheets.

Seamless compact HPL Modular Operation Theater equipped with laminar air flow & HVAC system as per NABH guidelines.



MODULAR OT WITH ANTIBACTERIAL PVC CLADING

Solid PVC Modular OT: Solid Antibacterial PVC wall Clading on walls & ceiling with Modular PUF Paneling and seamless washable, hygienic surface. It is equipped with Laminar Air Flow & HVAC System as per NABH guidelines. It can be fixed on cemented plastered wall also.

MODULAR OPERATION THEATRE



MODULAR OT WITH VINYL CLADING

VINYL MODULAR OT: Imported Vinyl on walls with modular ceiling in Galvanized Steel with Anti Fungal Paint and seamless washable, hygienic surface. It is equipped with Laminar Air Flow & HVAC system as per NABH guidelines.



MODULAR OT IN STAINLESS STEEL

Stainless Steel Modular OT: Modular OT In Stainless Steel (SS304) and Glass with Graphic Designs, seamless washable, Hygienic. It will be fully in Stainless Steel or partial in Glass. The Panels will be IN-Filled with high density PUF between two sheets. One side of Stainless Steel and other side PPGI/ Stainless Steel. Graphic design can be customized as per customer requirements.

CONTROL PANEL



CR- TC101
TOUCH SCREEN



CR- TS102
TOUCH SWITCH



CR- MS103
MEMBRANE SWITCH

CONTROL PANEL WITH TOUCH SCREEN/TOUCH SWITCH/MEMBRANE SWITCH

Our control panels are fully customizable to meet your specific requirements. Features include:

- | | | |
|----------------------------------|-------------------------------|-------------------------------|
| 1. DIGITAL DAY TIME CLOCK | 2. DIGITAL DAY TIME CLOCK | 3. ANESTHESIA TIMER CLOCK |
| 4. TEMPERATURE DISPLAY & CONTROL | 5. HUMIDITY DISPLAY & CONTROL | 6. AC/AHU ON- OFF |
| 7. HEPA FILTER STATUS | 8. ROOM PRESSURE DISPLAY | 9. LIGHTING CONTROL |
| 10. MEDICAL GAS ALARM | 11. HANDS FREE PHONE | 12. MUSIC SYSTEM WITH SPEAKER |
| 13. DATA POINTS, AUDIO-VIDEO | | |

LAMINAR AIR FLOW



LAMINAR AIR FLOW STAINLESS STEEL SS304

Laminar Flow : Modular OT Laminar Air Flow with inbuilt HEPA filters having efficiency of 99.97% at 0.3micron. Laminar Air Flow housing will be made of Stainless Steel SS304. Air diffusers are made out of SS304 perforation.

The system is custom designed and gasket ceiling extrusions and FILL-IN Panels provide a seal between the clean, sterile environment of the operating room and the ceiling plenum. this seal allows the room to be pressurized to reduce or eliminate infiltration of contaminants from adjacent areas.

The laminar flow diffusers provide an even unidirectional flow of clean supply air from the ceiling to the floor, washing over any occupants and equipment in the room with minimal entrainment of room air. contaminants are displaced down, away from the patient and staff, and exhausted out the low-level returns.

LAMINAR AIR FLOW ALUMINIUM

laminar flow : Modular OT Laminar Air Flow with inbuilt HEPA filters having efficiency of 99.97% at 0.3micron. laminar air flow housing will be made of aluminum. Air diffusers are made out of Anodized Aluminum /SS304 perforation.

The system is custom designed and gasket ceiling extrusions and FILL-IN Panels provide a seal between the clean, sterile environment of the operating room and the ceiling plenum. this seal allows the room to be pressurized to reduce or eliminate infiltration of contaminants from adjacent areas.

The Laminar Flow diffusers provide an even unidirectional flow of clean supply air from the ceiling to the floor, washing over any occupants and equipment in the room with minimal entrainment of room air. contaminants are displaced down, away from the patient and staff, and exhausted out the low-level returns.

LAMINAR AIR FLOW



LAMINAR AIR FLOW – ALUMINIUM / SS304 WITH MONO FILAMENT FABRIC DIFFUSERS

Laminar Flow : Modular Ot Laminar Air Flow with inbuilt HEPA filters having efficiency of 99.97% at 0.3micron. Laminar Air Flow housing will be made of aluminum. Air diffusers are made out of mono filament fabric diffusers.

The system is custom designed and gasket ceiling extrusions and FILL-IN Panels provide a seal between the clean, sterile environment of the operating room and the ceiling plenum. this seal allows the room to be pressurized to reduce or eliminate infiltration of contaminants from adjacent areas.

The Laminar Flow diffusers provide an even unidirectional flow of clean supply air from the ceiling to the floor, washing over any occupants and equipment in the room with minimal entrainment of room air. contaminants are displaced down, away from the patient and staff, and exhausted out the low-level returns.

diffusers can be designed to digital graphic design to suite the interior of operation theatre.



OPERATION THEATRE PENDANT

LAPAROSCOPY/SURGEON OT PENDANT- CR- L101



ANESTHESIA OT PENDANT- CR- D101



ANESTHESIA OT PENDANT- CR- D102



OPERATION THEATRE PENDANT

Creative Ceiling Pendants caters an integrated support for surgical, anesthetic, monitoring equipment for doctors and medical staff in Operation Theater for ease of working. These pendants are accommodated with modular electrical switch sockets & Gas terminal units. The Ceiling Pendants featured as-

- ALUMINUM EXTRUDED PENDANTS DULY POWDER COATED.
- SWIVEL, SINGLE ARM, DOUBLE ARM, FIXED TYPE
- PROVISION FOR GAS OUTLETS, ELECTRICAL, DATA POINTS
- INFUSION PUMP POLE, IV POLE, SUCTION BRACKET
- PROVISION FOR GAS OUTLET POINTS.
- MODULAR ELECTRICAL SOCKETS.
- MOVABLE UP TO 360°
- COMPLIANCE TO CE STANDARDS.

X-RAY FILM VIEWER SCREEN ANT



CR-X202A



CR-X201A



CR-X102M

X-RAY FILM VIEWER SCREEN

This unit has electrical safety codes for high and low voltage systems. The theater is equipped with an X-ray viewing screen and it is flush mounted with wall paneling. The viewing screens are available in LED technology and come in options for 1 film, 2 films, 3 films, and 4 films as per the requirement.

The housing of the X-ray viewer is made from extruded aluminum and aluminum sheet, both of which are powder-coated for durability. It features rocker-type electronic controls for turning the device on and off and an analog regulator control for dimming the viewer. Additionally, the auto-holding clips for the X-ray film are rust-free.

PERIPHERAL CLEAN ROOM LIGHTS



Clean Room lights / Peripheral lights are designed for use in harsh environments, with a focus on protection compliance as per IP65. The luminaries body is made of aluminum or galvanized steel, pre-treated and powder-coated for rust resistance, while the outer frame is constructed from stainless steel (SS304) or aluminum extruded profiles, anodized or powder-coated for added durability. High quality diffusers ensure uniform light distribution. The lights are available in various sizes and can also be customized.

MODEL: CR-L102AL, CR-L102SS- PERIPHERAL LIGHT 1'X2'
CR-L202AL, CR-L202SS- PERIPHERAL LIGHT 2'X2'
CR-L104AL, CR-L104SS- PERIPHERAL LIGHT 1'X4'

WRITING LIST BOARD



Each operating theater is equipped with one writing list board. The board is made of ceramic or frosted glass with magnetic properties and flush-mounted to the operating room wall.

We also offer writing list boards made of frosted glass

MODEL: CRLB1- CERAMIC TYPE
CRLB2- FROSTED GLASS TYPE

PASS/HATCH BOX



Each operation theatre is equipped with a hatch for disposing of waste materials to the adjacent dirty linen area. Each hatch is equipped with two doors, operated electronically, and designed to ensure that only one door can be opened at a time. The UV light is installed to remain ON when both doors are closed, and it will automatically turn OFF as soon as either door is opened, ensuring that the light only functions when the hatch is in a secure, closed state. The indicators installed on both side of the OT so that door open / close status can be monitored from both ends

WINDOW WITH MOTORIZED BLINDS



Double glaze sealed windows with motorized blind operated by wall mounted switch & remote operated. The view window of specified size is provided, consisting of double insulated fixed glazing with not less than 5mm thick toughened glass. The window frame is made of powder-coated aluminum, flush-mounted with wall paneling. Motorized horizontal Venetian blinds of powder coated aluminium strips of vista level or equivalent of approved shade including necessary accessories. The motor used for the blinds is from a reputable brand approved by the engineer-in-charge, enabling 90 degree rotational control of the blinds.

PRESSURE RELIEF DAMPER



A suitably sized air pressure relief damper is strategically placed to maintain differential room pressure, ensuring proper balance when doors open between clean and dirty areas. A counter-weight balancing system is provided in the PRD to positive pressure inside the operation room. The air pressure stabilizers have a unique capability to control differential pressure to close tolerance. The PRD remains closed below the set pressure and opens fully only slightly above the threshold pressure. The body is epoxy powder-coated as per standard BS colors. First-class electrolyzed steel plate is used for the body, and high-grade SS304 stainless steel is used for the blades.

SEALED DOORS



HERMETIC SEALED HINGED DOORS- HPL

Sealed hinged doors in high-pressure laminate are suitable for OT, ICU, NICU, IVF rooms, etc. These doors are hermetically sealed with sealing gaskets and feature automatic drop seals for enhanced sealing. Hinged doors are available in both manual and automated versions to meet various operational needs.



HERMETIC SEALED HINGED DOOR- PCGI

Sealed hinged doors made from galvanized steel sheet, powder-coated for durability, are suitable for OT, ICU, NICU, IVF rooms, and etc. These doors are hermetically sealed with sealing gaskets and feature automatic drop seals for effective containment. They are available in both manual and automated versions to meet various operational needs.



HERMETIC SEALED HINGED DOORS- SS304

Sealed hinged doors, made from galvanized steel sheets and powder-coated, are suitable for OT, ICU, NICU, and IVF rooms and etc. These doors are hermetically sealed with sealing gaskets and feature automatic drop seals for effective containment. They are available in both manual and automated versions to meet various operational needs.



HERMETIC SEALED SLIDING DOORS – HPL/SS304

To maintain sterility and correct air pressure in the room, all doors in and out are sliding, hermetically sealing types made from high-pressure laminate or stainless steel.

Doors are operated manually with hands-free operation and automatically using hand sensors, foot sensors, and safety beam sensors.



FIRE EXIT DOOR

Fire Exit doors made from galvanized steel sheet, powder-coated for durability, with Door leaf of 46mm thick fully flush double skin door with or without vision window.

STORAGE UNITS - STAINLESS STEEL / GALVANIZED STEEL / HIGH-PRESSURE LAMINATE / SMS MATERIAL



CR-SSU 101

Storage Unit in stainless steel (SS304), with steel shelves, featuring doors or an open design



CR-SSU 102

Storage Unit made of stainless steel, featuring overhead glass shelves and a steel frame, along with a glass door



CR-SSU 103

Instrument Storage Unit made of stainless steel, featuring overhead glass shelves and a steel frame, along with a glass door



CR-SSU 104

Catheter Storage Unit made of stainless steel, featuring overhead glass shelves and a steel frame, along with a glass door



CR-GSU 101

Storage Unit in galvanized stainless steel, with glass shelves, featuring doors or an open design



CR-HSU 101

Storage Unit in high-pressure laminate, with glass shelves, featuring doors or an open design

BED HEAD PANEL- VERTICAL



CR-BHPV901



CR-BHPV903



CR-BHPV902



CR-BHPV905



CR-BHPV904

BED HEAD PANEL- HORIZONTAL



CR-BHPH906



CR-BHPH907



CR-BHPH908



CR-BHPH909



CR-BHPH910



CR-BHPH911

The Bed Head Panels are featuring with-

- Made of Aluminum Extruded Profiles Duly Powder Coated and available In Multi Colors.
- Fully Modular Construction and customized Design as per Site Condition & Requirement.
- Also Available in continuous BHP.
- Provision for Gas Outlet, Electrical, NCs, Data Points as per Customer Requirements.
- Medical Rail for Suction Clamp, Document Basket, IV Pole, Infusion Pump Pole etc.

MEDICAL GAS PIPELINE SYSTEM



MEDICAL GRADE COPPER



MEDICAL GRADE COPPER FITTING



ISOLATION VALVES



GAS OUTLETS P. B. TYPE



GAS OUTLETS PARKODEX TYPE



GAS OUTLETS B.S. TYPE



WARD VACUUM UNIT



BPC FLOW METER WITH HUMIDIFIER BOTTLE



AREA ISOLATION VALVE UNIT



**CR-ST101
OT SUCTION TROLLEY**



**CR-ST102
OT SUCTION TROLLEY**

LAPROSCOPY TROLLEY



CR-LAP101



CR-LAP103



CR-LAP101



CR-LAP103



CR-LAP102



CR-LAP104



CR-LAP102



CR-LAP105



CR-LAP103M



CR-LAP101SS

OTHER HOSPITAL TROLLEYS



CR-T101
COMPUTER
TROLLEY



CR-T105
MONITOR
TROLLEY



CR-T101
COMPUTER
TROLLEY



CR-T105
MONITOR
TROLLEY



CR-T102
LAPTOP
TROLLEY



CR-T106
MONITOR
TROLLEY



CR-T102
LAPTOP
TROLLEY



CR-T107
OT OVER BED
TROLLEY



CR-T103
INSTRUMENT
CABINET



CR-T108
OT INSTRUMENT
TROLLEY

OTHER HOSPITAL TROLLEYS



CR-T109
ECG TROLLEY



CR-T114
CRASH CART



CR-T110
ECG TROLLEY



CR-T115
CRASH CART



CR-T111
ECG TROLLEY



CR-T116
**INFUSION/
SYRINGE PUMP
STAND**



CR-T112
**MEDICINE
TROLLEY**



CR-T113
**DISPLAY
TROLLEY**



CR-T117
TROLLEY

OTHER HOSPITAL TROLLEYS



CR-T118
OT
INSTRUMENT
TROLLEY



CR-T123
COMPUTER
TROLLEY



CR-T119
DRESSING
TROLLEY



CR-T123
COMPUTER
TROLLEY



CR-T120
OVER BED
TROLLEY



CR-T124
INFUSION
TROLLEY



CR-T121
ECG TROLLEY



CR-T122
ECG TROLLEY



CR-T125
OT EQUIPMENT
TROLLEY

HOSPITAL LAB CABINETS



CR-LC101
UV CABINET



CR-LC104
SLIDES
CABINET



CR-LC102
UV CABINET



CR-LC105
BLOCK
CABINET



CR-LC103
SLIDES
CABINET



CR-LC106
BLOCK
CABINET



CR-LC103
SLIDES
CABINET



CR-LC107
BLOCK
CABINET

SURGICAL SCRUB SINK/STATIONS



CR-FF-1AMF: 1 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-TFF-1AMF: 1 BAY FLOOR MODEL FLOOR MOUNTED

OPERATION: Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Swan Neck Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow and Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1100mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF- 1AMFSJ : 1 BAY FLOOR MODEL FLOOR MOUNTED

OPERATION: Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar make Plain Spout
OPTIONS: Sensor, Elbow and Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized Sizes Also Available/mounted on four wheels

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF 1EMEJ: 1BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Timer and Foot Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized Sizes Also Available/mounted on four wheels

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FF-1EME-C: 1 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Mixer Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Mixer Spout
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-1EMEE: 1 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Mixer & Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Mixer Spout & Elbow Plain Spout

OPTIONS: Sensor, Foot and Knee Operations

DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized Sizes Also Available/mounted on four wheels

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-1AMFST: 1 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Timer, Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar make plain spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-130mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-LCD1SF: FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Switch, Timer & Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
FEATURES: LCD Display for Temperature, Water presence (Yes/No)
TIME SETTING: 10 Seconds To 10 Minutes
SPECIAL FEATURE: Water Saving Controller
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor & Elbow and Sensor & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FF-LCD2STWT : FLOOR MOUNTED, FLOOR MOUNTED

- OPERATION:** Sensor, Timer Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Swan Neck Long Spout
FEATURES: LCD Display for Temperature, Water presence (Yes/No), Mirror, Water storage Tank
TIME SETTING: 10 Seconds To 10 Minutes (Customise)
SPECIAL FEATURE: Water Saving Controller
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow Spout, Elbow Mixer Spout, Sensor Only
SIZE: L-900mm x W-600mm x H-1600mm
 * Customized sizes also available.
 Available in 1 BAY, 2 BAY, OR 3 BAY Configurations.



CR-FF-WSTS-C: SINK ON WHEELS, FLOOR MOUNTED

- OPERATION:** Foot Operated with Water Storage Tank
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plane Spout
OPTIONS: Sensor Operated
DIMENSIONS: L-500mm X W-500mm X H-1400mm
 * Customized Sizes Also Available/mounted on four wheels
 Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-WSTS: FLOOR MOUNTED, FLOOR MOUNTED

- OPERATION:** Sensor Operated with Water Storage tank
MATERIAL: Stainless Steel (Ss304)
SPOUT: Swan Neck Spout
OPTIONS: Foot Operated
DIMENSIONS: L-500mm X W-500mm X H-1400mm
 * Customized Sizes Also Available/Mounted on four wheels
 Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-1AME- SLIM: 1BAY FLOOR MODEL, WALL MOUNTED

- OPERATION:** Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Plain Spout
FEATURE: Space Saving, Slim Model, More Hygienic
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Timer and Foot Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm
 * Customized Sizes Also Available/mounted on four wheels
 Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW-1EME: 1 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Elbow Mixer Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Mixer Spout
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-1AMFS: 1 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Sensor and Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-1380mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-1AMFST: 1 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Sensor, Timer, Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-900mm X W-560mm X H-130mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-V1AMFSTM: 1 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Sensor, Timer and Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-600mm X W-600mm X H-1550mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW-DETACHEABLE: 1 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Customized as per Requirement
MATERIAL: Stainless Steel (SS304)
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-900mmXW-560mmXH-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-1AME-C: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Spout
FEATURES: Elbow Operated Soap Dispenser
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-900mm X W-560mm X H-850mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-1AME: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar Make Elbow Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-900mm X W-560mm X H-850mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-1ME-MINI: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make elbow plain spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-900mm X W-350mm X H-650mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-WW-1MEM-C: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow Mixer Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar Make Elbow Mixer Spout
OPTIONAL: Automatic Thermostatic Mixer
DIMENSIONS: L-900mm X W-350mm X H-650mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-1AMES: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Sensor and elbow-operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make elbow and plain spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-900mm X W-560mm X H-850mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW- 1AMFSTC: 1 BAY WALL MODEL, WALL MOUNTED

OPERATION: Sensor, Timer, Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar make spout
TIME SETTING: 1 Min., 3 Min., 6 Min., 10 Min
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow Spout, Elbow Mixer Spout, Sensor Only
SIZE: L-900mm x W-560mm x H-780mm

* Customized sizes & Timer setting options also available.

Available in 1 BAY, 2 BAY, OR 3 BAY Configurations.



CR-FF-2AMF: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Two Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Plain Spout
FEATURE: Automatic Soap Dispenser & Soap Stand
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FF-2AME: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Plain Spout Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Foot, & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-2MME: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Mixer Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Mixer Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Foot, & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-2AMF1E: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: 2 Foot Operated & 1 Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout & Elbow Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-2AMSF: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Two Sensor & Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-1900mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FF-2AMFST: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Timer, Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-2AMFST: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Timer, Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout & Elbow Mixer Spout
FEATURE: Automatic Soap Dispenser
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-1500mmXW-560mmXH-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-CFFS-2A MFST: 2BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Switch, Timer & Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
FEATURES: 2 LED Light on Top and Provision of Mirror
TIME SETTING: 1 Min., 3 Min., 6 Min., 10 Min
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow and Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1650mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-CFF- 2AMFST: 2 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Timer, Foot Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make spout
TIME SETTING: 1 Min., 3 Min., 6 Min., 10 Min
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow and Knee Oprtation
SIZE: L-150mm x W-560mm x H-1650mm

TOP LED LIGHTS 2 NOS & PROVISION FOR MIRROR.

* Customized sizes & Timer settings also available.

Available in 1 BAY, 2 BAY, OR 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW-2AMFS-K: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION:	Sensor & Foot Operated
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Jaquar Make Plain Spout
FEATURE:	Knee Operated Soap Dispenser
OPTIONAL:	Automatic Thermostatic Mixer
OPTIONS:	Elbow & Knee Operations
DIMENSIONS:	L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2AMFST-S: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION:	Sensor, Timer, Foot Operated
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Jaquar Make Plain Spout
FEATURE:	Inbuilt Storage Unit
OPTIONAL:	Automatic Thermostatic Mixer
OPTIONS:	Elbow & Knee Operations
DIMENSIONS:	L-1900mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2AMEST: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION:	Sensor, Timer, Elbow Operated
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Shower Spout & Jaquar Make Elbow Plain Spout
OPTIONAL:	Automatic Thermostatic Mixer
OPTIONS:	Foot & Knee Operations
DIMENSIONS:	L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2AMS: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION:	Sensor Operated with Battery backup
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Jaquar Make Swan Neck Spout
FEATURE:	Floor space saving Sleek Model
OPTIONAL:	Automatic Thermostatic Mixer
OPTIONS:	Foot, Elbow & Knee Operations
DIMENSIONS:	L-1500mm X W-560mm X H-1380mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW-2AMF: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2AMFST: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar make elbow plain spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-900mm X W-350mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2MME: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Elbow Mixer Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Mixer Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-2AMFSK: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Sensor & Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Swan Neck Spout
FEATURE: Knee Operated Soap Dispenser
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Elbow & Knee Operations
DIMENSIONS: L-900mm X W-350mm X H-1380mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW-2AMS-MIRROR: 2 BAY FLOOR MODEL, WALL MOUNTED

OPERATION: Sensor Operated with Battery backup
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Swan Neck Spout
FEATURE: Floor space saving Sleek Model
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Foot, Elbow & Knee Operations
DIMENSIONS: L-1500mm X W-560mm X H-1380mm

*Customized sizes also available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-2ME-MINI: 2 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar Make Elbow Spout
OPTIONAL: Automatic Thermostatic Mixer
DIMENSIONS: L-1200mm X W-350mm X H-650mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-2AME-C: 2 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow-operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make elbow spout
FEATURES: Elbow Operated Soap Dispenser
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-1200mmXW-560mmXH-850mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-WW-2AME-R: 2 BAY WALL MODEL, WALL MOUNTED

OPERATION: Elbow-operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make elbow spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor Operations
DIMENSIONS: L-1200mmXW-560mmXH-850mm

*Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FF-3AME3F: 3 BAY FLOOR MODEL, FLOOR MOUNTED

OPERATION: 3 Foot and 1 Elbow Operated Tap
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make plain and elbow spout
FEATURES: Stand for Soap Bar & Liquid Soap
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow and Knee Operation
DIMENSIONS: L-2100mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FF-3AMFSTP: FLOOR MODEL, FLOOR MOUNTED

OPERATION: Sensor, Switch, Timer & Foot Operated
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar Make Plain Spout
FEATURES: Inbuilt noiseless Water Pressure Pump with sensor and foot switch operation.
TIME SETTING: 1 Min., 3 Min., 6 Min., 10 Min
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor & Elbow and Sensor & Knee Operations
DIMENSIONS: L-2100mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-3AMFE: FLOOR MODEL WALL MOUNTED

OPERATION: Elbow & Foot Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Plain Spout
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor and Knee Operation
DIMENSIONS: L-2100mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.



CR-FW-3AMFSKK: 3 BAY FLOOR MODEL WALL MOUNTED

OPERATION: 3 Foot and 1 Elbow Operated Tap
MATERIAL: Stainless Steel (Ss304)
SPOUT: Jaquar make plain and elbow spout
FEATURES: Stand for Soap Bar & Liquid Soap
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor, Elbow and Knee Operation
DIMENSIONS: L-2100mm X W-560mm X H-1380mm

* Customized Sizes Also Available

Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

SURGICAL SCRUB SINK/STATIONS



CR-FW- 3AMFST: 3 BAY FLOOR MODEL

WALL MOUNTED

OPERATION:	Sensor, Switch, Timer & Foot Operated
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Jaquar make plain Spout
FEATURES:	Elbow Operated Soap Dispenser
TIME SETTING:	1 Min., 3 Min., 6 Min., 10 Min
OPTIONAL:	Automatic Thermostatic Mixer
OPTIONS:	Sensor & Elbow and Sensor & Knee Operations
DIMENSIONS:	L-2100mm X W-560mm X H-1380mm
* Customized Sizes Also Available	
Available in 1 BAY, 2 BAY, or 3 BAY Configurations.	

INSTRUMENT WASH SINK



CR-FF-1WS-SINK: INSTRUMENT WASH SINK

OPERATION:	Elbow/Foot Operated as per Demand
MATERIAL:	Stainless Steel (SS304)
SPOUT:	According to requirement
OPTIONAL:	Instrument Wash Tray
DIMENSIONS:	L-600mm X W-600mm X H-1000mm
BOWL SIZE :	450mm X 450mm X 200mm
* Customized Sizes Also Available/ mounted on four legs	
Available in 1 BAY, 2 BAY, or 3 BAY Configurations.	



CR-FF-1WS2-SINK: INSTRUMENT WASH SINK

OPERATION:	Elbow/Foot Operated as per Demand
MATERIAL:	Stainless Steel (SS304) with bottom shelves
SPOUT:	According to requirement
OPTIONAL:	Instrument Wash Tray
DIMENSIONS:	L-600mm X W-600mm X H-1000mm
BOWL SIZE :	450mm X 450mm X 200mm
* Customized Sizes Also Available/ mounted on four legs	
Available in 1 BAY, 2 BAY, or 3 BAY Configurations.	



CR-FF-1WS3-SINK: INSTRUMENT WASH SINK

OPERATION:	Elbow Operated
MATERIAL:	Stainless Steel (SS304)
SPOUT:	Elbow Spout Operated
OPTIONAL:	Instrument Wash Tray
DIMENSIONS:	L-750mm X W-600mm X H-1000mm
BOWL SIZE :	450mm X 450mm X 200mm
* Customized Sizes Also Available/ mounted on four legs	
Available in 1 BAY, 2 BAY, or 3 BAY Configurations.	

INSTRUMENT WASH SINK



CR-DU SINK: SLUICE SINK

FLOOR MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Spout
OPTIONAL: P/S Trap Fixing, Flush Cistern Fixing
 Pressure Jet Spray, Automatic Mixer
 Wall Mounted, Floor Mounted
DIMENSIONS: L-750mmXW-500mmXH-900+ 250mm
 * Customized Sizes Also Available



CR-KITCHEN-COUNTER: CUSTOMIZED

KITCHEN COUNTER

OPERATION: Customized as per Requirement
MATERIAL: Stainless Steel (SS304)
SHELVES: As per requirement
 Top with Drain Board
OPTIONAL: Automatic Thermostatic Mixer
DIMENSIONS: L-2000mmXW-550mmXH-900
BOWL SINK SIZE: 600mmX450mmX250mm
 * Customized Modular Steel Kitchens for Hospitals



CR-FF-1WSS: INSTRUMENT WASH SINK

FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Operated
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar Make Elbow Plain Spout
FEATURE: Inbuilt Storage Unit
OPTIONAL: Automatic Thermostatic Mixer
OPTIONS: Sensor & Foot operated
DIMENSIONS: L-1500mm X W-600mm X H-1100mm
BOWL SINK SIZE: 450mmX600mmX250mm
 * Customized Sizes Also Available



CR-FF-WS2-SINK: INSTRUMENT WASH SINK

FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Operated and Spring Action
 Pressure Jet
MATERIAL: Stainless Steel (SS304)
SPOUT: Jaquar make Elbow Spout & Spring Action Jet
FEATURES: Double Bowl Sink
OPTIONAL: Automatic Thermostatic Mixer
BOWL SIZE: 450mmX450mmX 250mm
DIMENSIONS: L-1200mm X W-600mm X H-1100mm
 * Customized Sizes Also Available
 Available in 1 BAY, 2 BAY, or 3 BAY Configurations.

CATHETER WASH SINK



CR-FF-CATH8: FLOOR MODEL, FLOOR MOUNTED

OPERATION: Elbow Mixer & Elbow Spout & 8 Catheter Wash Points
MATERIAL: Stainless Steel (SS304)
SPOUT: Elbow Operated Plain Spout & Mixer Spout
ON-OFF VALVES: For Air, Hot Water, Normal Water
INBUILT: Automatic Thermostatic Mixer
DIMENSIONS: L-120mm X W-560mm X H-900+ 650mm
 * Customized Sizes Also Available

Available in 4 Points to 12 Points



CR-FW-CATH6: FLOOR MODEL, WALL MOUNTED

OPERATION: Elbow Spout & 6 Catheter wash Points
MATERIAL: Stainless Steel (SS304)
SPOUT: Elbow Operated Plain Spout
ON-OFF VALVES: For Air, Hot Water, Normal Water
INBUILT: Automatic Thermostatic Mixer
DIMENSIONS: L-750mm X W-600mm X H-1000mm
 * Customized Sizes Also Available

Available in 4 Points to 12 Points



CR-FW-CATH4: FLOOR MODEL, WALL MOUNTED

OPERATION: Elbow Spout & 4 Catheter wash Points
MATERIAL: Stainless Steel (SS304)
SPOUT: Elbow Operated Plain Spout
ON-OFF VALVES: For Air & Water
OPTIONAL: Automatic Thermostatic Mixer
DIMENSIONS: L-900mm X W-450mm X H-900+ 650mm
 * Customized Sizes Also Available

Available in 4 Points to 12 Points

TIMER FOR SURGICAL SCRUB STATIONS



LCD DISPLAY TIMER




DIGITAL DISPLAY TIMER



DIGITAL DISPLAY TIMER

SINK ACCESSORIES



**CUSTOMIZED HOSPITAL
KITCHEN SINK**



**IMPORTED SEALED IP65
SENSOR MODULE**



**MODULAR BRASS
FITTINGS**



**AUTOMATIC
THERMOSTATIC MIXER**

ASSORTED HOSPITAL PRODUCTS



MOVABLE STORAGE RACK



MOVABLE BED SIDE LOCKER



PODIUM



SOAP DISPENSER



FOOT STEPS FOR HOSPITAL BED

ASSORTED HOSPITAL PRODUCTS



BIO MEDICAL WASTE TROLLEY



MOPPING TROLLEY



MEDICAL STORAGE RACK



BED MATTRESS



SOLID LINEN TROLLEY



SINGLE BASIN STAND



PARTITION CURTAINS

HOSPITAL FURNITURE PRODUCTS



CR 401: FOWLER BED MANUAL



CR 502: ICU BED MANUAL



CR 503B: ICU BED MANUAL



CR 503A: ICU BED MANUAL



CR 504: ICU BED ELECTRIC



CRT 601: EMERGENCY AND RECOVER TROLLEY



CRT 603 STRETCHER ON TROLLEY



CR 206: PHYSIOTHERAPY BED

HOSPITAL FURNITURE PRODUCTS



CR-T606: GYANE TABLE



STAFF LOCKER



CR-SL 04 LAB TECHNICIAN STOOL



HOSPITAL SOFA



WAITING CHAIR



CSSD TABLE



CSSD RACK



CSSD EXAMINATION TABLE



For more details, please scan.

Connect with us



Plot No. 394, Ecotech-III, Udyog Kendra-II,
Greater NOIDA, G.B. Nagar,
UP, India. PIN-201306



+91-9911924646, 9811339989



info@creativemodularot.co.in, chplmed@gmail.com



visit www.creativemodularot.co.in for more details